

WINTEC

Smart POS, Smarter Retail

ID AUTOMATION

Anypos600



Shopping
Mall



Bakery



Convenience
Store



Supermarket



www.idautomation.com.mx

Uniquely streamline design



Sensitive PCAP touch screen

Increasing precision and touch reliability



Multiple screen sizes for different scenarios and applications

2nd display:
VFD/11.6"/15"/15.6"



Multiple I/O ports

Support multiple peripherals connection



Flexible installation,
desktop & wall mount



Optional MSR, iButton, NFC, scanner



Anypos600 Specification



CPU

J6412 Quad Core 2.0GHz
i3-1115G4 Dual Core 3.0GHz
i5-1135G7 Quad Core 2.4GHz



Memory

4GB, up to 32GB



Storage

128GB, up to 512GB



Ethernet

1*10/100/1000M



Main Display

15" LCD, 1024*768 (PCAP)
15.6" LCD, 1920*1080/
1366*768 (PCAP)



2nd Display (Optional)

11.6" LCD, 1920*1080/1366*768 (PCAP optional)
15" LCD, 1024*768 (PCAP optional)
15.6" LCD, 1920*1080/1366*768 (PCAP optional)
VFD (CD220&CD320)



WiFi&BT (Optional)

WiFi&BT, 802.11 b/g/n/ac
+ BT4.2



Interfaces

4*USB, 2*RS232(2*RJ48), 1*RJ45, 1*DK, 1*24V DC_IN, 1*HDMI,
1*DC_OUT(12V), 1*AUDIO (optional) + 3*POWER USB
(1*24V+2*12V)(optional)



Speaker

1*5W Speaker



OS

Win10,
Linux (V20.4 and above)



Power Adapter

AC Input 100~240V, 50-60Hz
DC Output 24V/2.5A



Dimension

15" : 343.5*205*367 (mm)
15.6" : 370*200*355 (mm)



Options

MSR, iButton, RFID

Anypos600 Specification



CPU

RK3568 Quad Core A55,
2.0GHz



Memory

4GB



Storage

32GB



Ethernet

1*10/100/1000M



Main Display

15" LCD,1024*768 (PCAP)
15.6" LCD, 1920*1080/
1366*768 (PCAP)



2nd Display (Optional)

11.6" LCD,1366*768 (PCAP, optional)
15" LCD,1024*768 (PCAP, optional)
15.6" LCD, 1920*1080/ 1366*768 (PCAP)
VFD (CD220&CD320)



WiFi&BT

WiFi&BT, 802.11 b/g/n/ac
+ BT4.2



Interfaces

4*USB, 2*RS232(2*RJ48), 1*RJ45, 1*DK, 1*24V DC_IN, 1*HDMI,
1*DC_OUT(12V), 1*AUDIO (optional) + 3*POWER USB
(1*24V+2*12V)(optional)



Speaker

1*5W Speaker



OS

Android11



Power Adapter

AC Input 100~240V, 50-60Hz
DC Output 24V/2.5A



Dimension

15" : 343.5*205*367 (mm)
15.6" : 370*200*355 (mm)



Options

MSR, iButton, RFID